
PRODUCT DATA SHEET



SOFTWIRING SOLUTIONS

QuickFlex 5-Pole



The CMS Electracom QuickFlex System is a tried and tested cabling solution that has been applied in major projects across Australia and New Zealand for over past decade.

More robust than the Mini 3, this modular 5-pole softwiring system is designed for large-scale and is compatible with DALI, DSI, CBUS, KNX, and other lighting systems requiring 5-wire connections. Its unique coupling mechanism ensures excellent conductivity and reduced risk of joint separation.

Standard 5-Pole Components

Starter Socket

QF1BK	5-Pole Standard Starter Socket

*Custom starter sockets for larger cables available on request.

T-Piece Adaptors

A5TBK	5 Pole T Piece Adaptor (Used with QF3A Light leads) - Black
B5TBK	5 Pole T Piece Adaptor (used with QF6) - Black

Interconnecting Leads - 5-Core

QFP2-20BK	BFP PVC 2000mm 5 Pole Interconnecting Lead - Black
QFP2-25BK	BFP PVC 2500mm 5 Pole Interconnecting Lead - Black
QFP2-30BK	BFP PVC 3000mm 5 Pole Interconnecting Lead - Black
QFP2-35BK	BFP PVC 3500mm 5 Pole Interconnecting Lead - Black
QFP2-40BK	BFP PVC 4000mm 5 Pole Interconnecting Lead - Black
QFP2-50BK	BFP PVC 5000mm 5 Pole Interconnecting Lead - Black
QFP2-60BK	BFP PVC 6000mm 5 Pole Interconnecting Lead - Black

PRODUCT DATA SHEET

Free End Light Leads

QFP3AT-15BK	BFP PVC 1500mm 5 Pole Light Lead Free End to TAG Plug (Tinned) - 5x 1.0²mm - Black
QFP3AT-20BK	BFP PVC 2000mm 5 Pole Light Lead Free End to TAG Plug (Tinned) - 5x 1.0²mm - Black
QFP3AT-25BK	BFP PVC 2500mm 5 Pole Light Lead Free End to TAG Plug (Tinned) - 5x 1.0²mm - Black

Free End Light Leads - 3-Core (3 x 1.0mm)

QFP3IT-25BK	BFP PVC 2500mm 5 Pole Light Lead Free End to TAG Plug - 3 X 1.0²MM - Black

Free End Light Leads - 2-Core (2 x 1.0mm)


QFP3DAT-25BK	BFP PVC 2500mm 5 Pole Light Lead Free End to TAG Plug - 2 X 1.0²MM - Black

Light leads

QF7A-25BK	2500mm 5 Pin ROHS Light Lead 10amp 5x 1.0mm² - Black
QF7A-100BK	10,000mm 5 Pin ROHS Light Lead 10amp 5x 1.0mm² - Black
QF7A-25WT	2500mm 5 Pin ROHS Light Lead 10amp 5x 1.0mm² - White
QF7A-100WT	10,000mm 5 Pin ROHS Light Lead 10amp 5x 1.0mm² - White

Linkable Socket

QF75-02BK	Dual Socket 10amp 250V 5 Pin Socket




PRODUCT DATA SHEET

Pin Hardwired Plugbase

QF75MK2**	Single 10Amp 250V 5-Pin Socket

Light leads

QF7A-25BK	2500mm 5 Pin ROHS Light Lead 10amp 5x 1.0mm² - Black
QF7A-100BK	10,000mm 5 Pin ROHS Light Lead 10amp 5x 1.0mm² - Black
QF7A-25WT	2500mm 5 Pin ROHS Light Lead 10amp 5x 1.0mm² - White
QF7A-100WT	10,000mm 5 Pin ROHS Light Lead 10amp 5x 1.0mm² - White



Disclaimer: CMS Electracom has made every attempt to ensure the accuracy and reliability of the information provided in this document are correct. All information contained in this document is to be used for general guidance only. CMS Electracom reserves the right to change, delete or modify the information without notice. V1 2026.
For product warranty and returns see cmselectra.com/au/resources/warranty/
© CMS Electracom 2026

CMS Electracom