


CENTURY SERIES

Floor Box

Our Century Series Floor Box is designed with the ability to be installed into either Concrete or Access Floor.

Each angled mounting plate offers easy cable pass-through. It can be easily fitted with a wide variety of Power, Data and AV Switch Plates including our C-Series range.



Undercarriages

CT02UC	Undercarriage Only - 2x Plate Provision - 100mm Deep Cut-Out Size (215 x 208 x 100mm)
CT04UC	Undercarriage Only - 4x Plate Provision - 100mm Deep Cut-Out Size (261 x 212 x 100mm)
CT06UC	Undercarriage Only - 6x Plate Provision - 100mm Deep Cut-Out Size (360 x 224 x 100mm)

Lids

	2-Plate	4-Plate	6-Plate
Black Plastic - Recessed	F2LIDBK	F3LIDBK	F4LIDBK
Grey Plastic - Recessed	F2LIDGY	F3LIDGY	F4LIDGY
Stainless Steel Soft Close - Recessed	FT2LIDSC	FT3LIDSC	FT4LIDSC
Stainless Steel Soft Close - Flush	FTF2LIDSC	FTF3LIDSC	FTF4LIDSC

Plates

C16H.1WT	Single 10amp GPO Switched - Hardwired
C16H.2WT	Double 10amp GPO Switched - Hardwired
CSW1WT	Data Provision Plate - Single
CSW2WT	Data Provision Plate - Dual
CSW3WT	Data Provision Plate - Triple
CSW4WT	Data Provision Plate - Quad
CSW0WT	Data Provision Plate - Blank

Technical Specifications

2 Plate

Capacity	2 x Provision For Standard Outlet Plates
Floor Application	Screed; Access Floor
Box Cut-Out / Depth	L215mm x W208mm x D100mm
Lid Finish	Polycarbonate With Galvanised Plate - Grey
Lid Recess Dimension	L148 x W191mm x D7mm
Weight Rating	120kg
Undercarriage	Powder-Coated Steel (Black)

4 Plate



Capacity	4 x Provision For Standard Outlet Plates
Floor Application	Screed; Access Floor
Box Cut-Out / Depth	L261mm x W212mm x D100mm
Lid Finish Options	Polycarbonate With Galvanised Plate - Grey
Lid Recess Dimension	Plastic - L201 x W191mm x D7mm
Weight Rating	120kg
Undercarriage	Powder-Coated Steel (Black)

6 Plate



Capacity	6 x Provision For Standard Outlet Plates
Floor Application	Screed; Access Floor
Box Cut-Out / Depth	L360mm x W224mm x D100mm
Lid Finish Options	Polycarbonate With Galvanised Plate - Grey
Lid Recess Dimension	L282 x W205mm x D7mm
Weight Rating	120kg
Undercarriage	Powder-Coated Steel (Black)





Plastic Lid - F2LID*





Plastic Lid - F3LID*





Plastic Lid - F4LID*





Stainless Steel Lid - FTF2LIDSC





Stainless Steel Lid - FTF3LIDSC





Stainless Steel Lid - FTF4LIDSC





Stainless Steel Recessed Lid - FT2LIDSC




Stainless Steel Recessed Lid - FT3LIDSC




Stainless Steel Recessed Lid - FT4LIDSC



Stainless Steel Hemmed Butted Lid - FB2LIDHBESSC12



Stainless Steel Hemmed Butted Lid - FB3LIDHBESSC12



Stainless Steel Hemmed Butted Lid - FB2LIDHBESSC12

