ECHO SERIES

In-Desk Module

The Echo series delivers the latest charging technology to empower engaging and connected spaces within the commercial workplace, integrating into personal workstations, soft-seating and collaborative spaces.

Echo is available in 3 shell sizes; Single, Duo and Trio. Echo can be equipped with any combination of USB A/C Charging, Magsafe® Wireless Charging and standard Power.



Echo Single

	**EC01****	Echo - 1x GPO, 500mm TAG Lead with L3T Splitter
	**EC01G15****	Echo - 1x GPO, 1500mm Lead with 3-Pin Plug
	**ECU4****	Echo - USB A/C PD Fast-Charge Module (65W shared), 500mm TAG Lead with L3T Splitter
	**ECU5****	Echo - USB C/C PD Fast-Charge Module (65W shared), 500mm TAG Lead with L3T Splitter
	**ECW4D****	Echo Magsafe® Wireless Fast-Charge Module (15W), 500mm TAG Lead with L3D Splitter
	ECW4G15**	Echo Magsafe® Wireless Fast-Charge Module (15W), 1500mm Lead with 3-Pin Plug

Notes:

- ** Denotes Standard Colours: Black (BK), White (WT). Also available in the LUX Range.
- All Modules with 3-Pin Plug are Custom Made and Lead Times Apply
- USB Charging for use with IT equipment only
- Alternative configurations available on request





Echo Duo

	**EDA1A1T10D****	Echo Duo - 2x GPO, 1000mm TAG Lead with L3D Splitter
	**EDA1A1A15****	Echo Duo - 2x GPO, 1500mm Lead with 3-Pin Plug
	**EDA1U4T10D****	Echo Duo - 1x GPO, USB A/C PD Fast-Charge Module (65W shared), 1000mm TAG Lead with L3D Splitter
	**EDA1U5T10D****	Echo Duo - 1x GPO, USB C/C PD Fast-Charge Module (65W shared), 1000mm TAG Lead with L3D Splitter
	**EDA1W4T10D****	Echo Duo - 1x GPO, Magsafe® Wireless Fast-Charge Module (15W), 1000mm TAG Lead with L3D Splitter
	**EDA1W4A15****	Echo Duo - 1x GPO, Magsafe® Wireless Fast-Charge Module (15W), 1500mm Lead with 3-Pin Plug
	**EDUW4T10D****	Echo Duo - USB A/C PD Fast-Charge Module (30W shared) + Magsafe® Wireless Fast-Charge Module (15W), 1000mm TAG Lead with L3D Splitter
	**EDU4W4T10D****	Echo Duo - USB A/C PD Fast-Charge Module (65W shared) + Magsafe® Wireless Fast-Charge Module (15W), 1000mm TAG Lead with L3D Splitter
	**EDUW4A15****	Echo Duo - USB A/C PD Fast-Charge Module (30W shared) + Magsafe® Wireless Fast-Charge Module (15W), 1500mm Lead with 3-Pin Plug
	**EDU5W4T10D****	Echo Duo - USB C/C PD Fast-Charge Module (65W shared) + Magsafe® Wireless Fast-Charge Module (15W), 1000mm TAG Lead with L3D Splitter

Notes:

- ** Denotes Standard Colours: Black (BK), White (WT). Also available in the LUX Range.
- All Modules with 3-Pin Plug are Custom Made and Lead Times Apply
- USB Charging for use with IT equipment only
- Alternative configurations available on request

Echo Trio

	**ETA1A1A1T10D****	Echo Trio - 3x GPO, 1000mm TAG Lead with L3D Splitter
	**ETA1A1A1A15****	Echo Trio - 3x GPO, 1500mm Lead with 3-Pin Plug
	**ETA1U4A1T10D****	Echo Trio - 1x GPO + USB A/C PD Fast-Charge Module (65W shared) + 1x GPO, 1000mm TAG Lead with L3D Splitter
	**ETA1U5A1T10D****	Echo Trio - 1x GPO + USB C/C PD Fast-Charge Module (65W shared) + 1x GPO, 1000mm TAG Lead with L3D Splitter
	**ETA1U4W4T10D****	Echo Trio - 1x GPO + USB A/C PD Fast-Charge Module (65W shared) + Magsafe® Wireless Fast-Charge Module (15W) 1000mm TAG Lead with L3D Splitter
	**ETA1U4W4A15****	Echo Trio - 1x GPO + USB A/C PD Fast-Charge Module (65W shared) + Magsafe® Wireless Fast-Charge Module (15W) 1500mm Lead with 3-Pin Plug
	**ETA1U5W4T10D****	Echo Trio - 1x GPO + USB C/C PD Fast-Charge Module (65W shared) + Magsafe® Wireless Fast-Charge Module (15W) 1000mm TAG Lead with L3D Splitter
	**ETA1U5W4A15****	Echo Trio - 1x GPO + USB C/C PD Fast-Charge Module (65W shared) + Magsafe® Wireless Fast-Charge Module (15W) 1500mm Lead with 3-Pin Plug

Notes:

- ** Denotes Standard Colours: Black (BK), White (WT). Also available in the LUX Range.
- All Modules with 3-Pin Plug are Custom Made and Lead Times Apply
- USB Charging for use with IT equipment only
- Alternative configurations available on request

PRODUCT DATA SHEET

Wireless Charger

Input	100-240V; 50/60Hz; 0.6A
Max output total	15W
Standby power	0.2W
Operating temperature range	0-40C
Compliance	AS/NZS 61558.2.16:2022
	CISPR32:2015

65W USB A+C Charger

Input	100-240V AC; 50/60Hz, 1.8A
USB outlets	1 x Type-C PD3.0 fast charge
	1 x Type-A standard fast charge
Standby power	<0.15W
Over voltage protection	20-24V
Overcurrent protection	4.3-5.5A
Short circuit protection	USB will shut down if short circuit detected and will recover once short circuit removed.
Operating temperature range	0-40C
Compliance	AS/NZS 61558-
	CISPR32:2016
USB-A & USB-C Port Specification	
Max output with both A & C Ports engaged	2.4@5V, 2A@9V, 3A@12V , 3A@15V
Max standard output with no connected devices in A Port	3A@5V , 3A@9V , 3A@12V , 3A@15V , 3.25A@20V

USB 65W C+C Charger

Input	100-240V AC; 50/60Hz, 1.8A
USB outlets	1 x Type-C PD3.0 fast charge
	1 x Type-A standard fast charge
Standby power	<0.15W
Over voltage protection	20-24V
Overcurrent protection	4.3-5.5A
Short circuit protection	USB will shut down if short circuit detected and will recover once short circuit removed.
Operating temperature range	0-40C
Compliance	AS/NZS 61558-
	CISPR32:2016
USB-C1 & USB-C2 Port Specification	
Max output with both C Ports engaged	2.4@5V, 2A@9V, 3A@12V , 3A@15V
Max standard output with no connected devices in C1 Port	3A@5V , 3A@9V , 3A@12V , 3A@15V , 3.25A@20V

Notes:

- Our wireless chargers are for **mobile phones only,** other accessories including airpods & watches may not be supported. Wireless Chargers are Compatible with MAGSAFE® products of Apple Inc.
- Our Echo Series USB Fast Charging Module has an auto-shut down when not used for a while to save power. To use the USB module again, unplug your USB cable and reinsert it

Disclaimer: CMS Electracom has made every attempt to ensure the accuracy and reliability of the information provided in this document are correct. All information contained in this document is to be used for general guidance only. CMS Electracom reserves the right to change, delete or modify the information without notice. V4 2026.
For product warranty and returns see cmselectra.com/au/resources/warranty/
© CMS Electracom 2026

CMS Electracom