


Century Series

Standard Outlet Plate Housing

Our Century Series Floor Box is designed with the ability to be installed into either Concrete or Access Floor.

Each angled mounting plate offers easy cable pass-through. It can be easily fitted with a wide variety of Power, Data and AV Switch Plates including our C-Series range.



Key Features

- » Easy-grab handle and functional cable exit when lid closed
- » Provision for 2 standard outlet plates to suit a wide variety of Power, Data and AV requirements
- » Angled mounting plates with cable passthrough underneath
- » Suit both screed and raised floor applications
- » 25 & 32mm knock-outs to suit large data access requirements
- » CAT6 & CAT6A compliant

Century Floor Boxes - Complete Series

2/4/6 Plate Floor boxes, complete with lid, undercarriage and accessory plates

CT02**	Century Floorbox - 2x Plate Provision - Complete with Lid & Accessory Undercarriage Box Cut-Out Size (215 x 208 x 100mm) <i>Provision for 2x plates - sold separately</i>
CT04**	Century Floorbox - 4x Plate Provision - Complete with Lid & Accessory Undercarriage Box Cut-Out Size (261 x 212 x 100mm) <i>Provision for 4x plates - sold separately</i>
CT06**	Century Floorbox - 6x Plate Provision - Complete with Lid & Accessory Undercarriage Box Cut-Out Size (360 x 224 x 100mm) <i>Provision for 6x plates - sold separately</i>

Notes:

- ** denotes Grey (GY) or Black (BK) Plastic Lid, or Stainless Steel Soft Close Recessed (SC) or Flush (FSC) Lid variants



Century Series Components

Undercarriages

CT02UC	Undercarriage Only - 2x Plate Provision - 100mm Deep Cut-Out Size (215 x 208 x 100mm)
CT04UC	Undercarriage Only - 4x Plate Provision - 100mm Deep Cut-Out Size (261 x 212 x 100mm)
CT06UC	Undercarriage Only - 6x Plate Provision - 100mm Deep Cut-Out Size (360 x 224 x 100mm)

Lids

	2-Plate	4-Plate	6-Plate
Black Plastic - Recessed	F2LIDBK	F3LIDBK	F4LIDBK
Grey Plastic - Recessed	F2LIDGY	F3LIDGY	F4LIDGY
Stainless Steel Soft Close - Recessed	FT2LIDSC	FT3LIDSC	FT4LIDSC
Stainless Steel Soft Close - Flush	FTF2LIDSC	FTF3LIDSC	FTF4LIDSC


Plates



C16H.1WT

C16H.2WT

CSW0**



CSW1**

CSW2**

CSW3**

CSW4**

** Standard colours for GPOs are White (others by request)

Disclaimer: CMS has made every attempt to ensure the accuracy and reliability of the information provided in this document are correct. All information contained in this document is to be used for general guidance only. CMS reserves the right to change, delete or modify the information without notice. V2 251125
© CMS Electracom 2025