CMS Electracom

LAVALO



LAVALO

Table mounted task lamp

Lavalo - Comprising of a steel construction Lavalo is a contemporary table or bench mounted luminare. It's unobtrusive form is perfect for a minimalist agile environment. Consisting of a round shade and stem, Lavalo has a LED light source which is touch dimmable & emits a circular and diffused ambient light, plus an edge lite effect.

- Robust steel construction
- Touch dimmable
- On/off reset to maximum light output
- Edge lit
- Remote AC/DC plug in power supply
- Simple 11mm clearance hole bolt through fixing
- Suitable for worksurfaces of 18mm to 35mm's

Colours Available

Matt Black [RAL 9005] (Fine Textured or Non-Textured)



Key Features

- Colour temperature - 2,778 K
- Light colour - Warm
- Nominal voltage – 230v AC / 24v DC
- Wattage -7.8 W
- Luminous flux -169 lm
- Luminous efficacy - 21 lm/W
- Energy efficiency class – G
- Energy consumption - 7.8 KWh/1000
- CRI / RA RA / R9 - > 89
- Life span - 25000 Hrs
- IP Rating – IP20
- Warranty – 1 Year
- Beam Angle – 130˚

CMS Electracom


CMS Electracom


410mm Height (Black NON-textured RAL9005)

SKU	DESCRIPTION
ULV1NBK	Lavalo - Touch dimmable LED luminare. Remote UK BS13A AC/DC 24v
ELV1NBK	Lavalo - Touch dimmable LED luminare. Remote Schuko CEE7/7 AC/DC 24v




NON-textured black version

TECHNICAL



MOUNTING HEIGHT	Beam Width (m) C0-C180 plane	Beam Width (m) C90-270 plane	Projected Illuminance (lux)
0.5m	2.1	2.1	190
1m	4.2	4.2	48
2m	8.5	8.4	12
3m	12.7	12.6	5
4m	17.0	16.8	3
5m	21.2	21.0	2
7.5m	31.8	31.5	1
10m	42.4	42.0	0
20m	84.9	83.9	0

DIMENSIONS



NOTE
Drill 1 no 11mm hole through the surface to which the Lavalo is to be attached.

CMS Electracom Limited
31-35 Kirby Street,
London,
EC1N 8TE,
United Kingdom
Reg: 07092269
VAT: 983228789

T: +44 (0) 1273 890500
E: uksales@cmselectra.com
W: www.cmselectra.com

CMS Electracom



REV: 02 2025