

ATOM Compact Fast Charging USB Module



www.cmselectra.com





ATOM

Tiny, Verstatile and Powerful

Atom delivers USB fast charging in a minimalistic housing. It's designed to integrate seamlessly into loose furniture, personal workstations and collaborative/shared areas.

Atom features a intuitive self-fastening paddle design allowing installers to surface-fit the unit without the need for a bottom fastening ring, reducing installation time onsite.

Colors Available

White

te Black

Key Features

- » Tiny external fascia profile
- » Powerful 6A USB charging module
- » Self fastening paddle design allows surface-top install without the need of a bottom fastening ring.
- » Under-desk mounting bracket available
- » Daisy-chain capability (subject to power requirement)





Product Details

Atom

АМАА**	Atom USB Charging Module 2x 2.1A Fast Charge
AMD**	Under-desk Mounting Bracket for Atom Module

Technical Data

Atom

Input	12V DC, 3A
Max output total (combined)	5V DC, 6A
USB outlets	2 x USB-A
Standby power	0.4W @ 12V
Short circuit protection	USB will shut down if short circuit detected and will recover once short circuit removed.
Operating temperature range	32-104°F
Compliance	CISPR32:2015
Lead Length	118.11"

USB-A Ports

Overcurrent Protection	Input > 3A
	Output 3.2A ~ 4.5A (per port)

Port 1

Normal	5V / 2.4A max; D+D – auto identify BC 1.2 / Samsung / Apple
QC3.0	3.6-6.5V / 3A max; 6.5 - 9V / 2A; 9V - 12V / 1.5A
QC2.0	9V / 2A; 12V / 1.5A

Port 2

Normal	5V / 2.4A max; D+D – auto identify BC 1.2 / Samsung / Apple
QC3.0	3.6-6.5V / 3A max; 6.5 - 9V / 2A; 9V - 12V / 1.5A
QC2.0	9V / 2A; 12V / 1.5A

Disclaimer: CMS has made every attempt to ensure the accuracy and reliability of the information provided in this document are correct. All information contained in this document is to be used for general guidance only. CMS reserves the right to change, delete or modify the information without notice. © CMS Electracom 2023